



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

249 Senecio Virginianus, arborefcens, Atriplicis folio, *Par. Bat.* 225.

250 Sherardia Teucrit folio flore purpureo, *Vaillant Dife.* p. 49.

Verbena folio fubrotundo, ferrato ; flore Cæruleo, *Sloan. Hift.* Vol. 1. p. 171. Tab. 107. f. i.

II. *Some farther Remarks on P. Souciet's Differtations againft Sir Ifaac Newton's Chronology, by Edmund Halley, L.L.D. Aftron. Reg. In a Letter to Dr. Jurin, Coll. Med. & S.R. Soc.*

SIR,
 WHEN I gave you my Paper of Remarks on *P. Souciet's* Differtations againft Sir *Ifaac Newton's* Chronology, I was oblig'd to take what he was pleas'd to give us out of *Hipparchus's* Comment on *Aratus*, not having then that Author himfelf by me. Since then, by the favour of a very good Friend, having gotten the *Florence* Edition of *Hipparchus*, Anno 1567, I find an Argument very much *ad Hominem*, which the R. P. muft confeß will bring the *Argonautick* Expedition full as low as Sir *Ifaac Newton* makes it.

P. Souciet in his fifth Differtation, Page 119, 120, finds out a Star of the firft Magnitude, clofe adjoyning to that we now call *the firft Star of Aries*, as it is in the Catalogue of *Ptolemy*, where it is faid to be in the *Horn of Aries*, and not in the *Ear*. This Star the R. P. fupposes long fince to have difappeared ; but that being of old very confiderable, it was from this firft Star of *Aries*, the Zodiack began, tho'

tho' for Argument-sake he is contented to let it begin as Sir *Isaac* does, with the aforesaid Star in the Ear or Horn; which *Hipparchus*, in the last and 54th Page, tells us, in his time follow'd the Equinoctial Colure the 20th part of an Hour: And supposing the Star that has disappeared, to have been at that time precisely on the Colure, it must differ but 45 Minutes of Right Ascension therefrom: But how he comes to make the difference of Longitude 40 Minutes no way appears, and is *gratis dictum*.

In Page 49 of the said *Florence*-Edition, *Hipparchus*, treating of the rising and setting of the Constellations, tells us, that that of *Aries* began to rise with 18 $\frac{1}{2}$ Degrees of *Pisces* in the Ecliptic, and was wholly risen with the 24th Degree of *Aries*, whilst the Zodiack past the Meridian from 23 $\frac{1}{2}$ Degrees of *Sagittary* to 14 Degrees of *Capricorn*: And again (Page 52) he says, that the Constellation of *Aries* began to set with the 29th Degree of *Pisces*, and was wholly set with the 26th Degree of *Aries*, whilst the Zodiack past the Meridian from 29 Degrees of *Gemini* to 29 Degrees of *Cancer*. He tells us also that it was the very same Star that both rose and set first in that Constellation, calling it δ ἐπὶ τοῖς ἐκπυροδίοις ποδός, Page 49: And again, Page 52 'tis named δ ἐν τοῖς ἐκπυροδίοις ποδός, or *That in the Fore-feet* of the Ram.

This certainly is the Star *P. Souciet* would place on the Equinoctial Colure, and makes it long since to have disappeared; without enquiring whether the aforesaid *Data* were not abundantly sufficient to determine its place in the Zodiack at that time; and without regard to the odd uncouth Posture he must suppose the Constellation of *Aries* to be in, when he makes one or both of the Fore-feet so near to, and above the Horn or Ear.

Hip-

Hipparchus expressly says, that it rose when $23\frac{1}{2}$ Degrees of *Sagittary* was on the Meridian, and set when 29 Degrees of *Gemini* past it; and taking the middle between those Points, it is plain, that it culminated with about 26 Degrees of *Pisces*, and that it had North Declination; the Excess above 180 Degrees shewing that the Ascensional Difference was about $2\frac{1}{2}$ Degrees. But to give the Argument its full Scope, the Right Ascension of $23\frac{1}{2}$ of *Sagittary* (allowing *Hipparchus* his Obliquity $23^{\circ} 51' 20''$) will be found $262^{\circ} 54'$. And that of 29 Degrees of *Gemini* will be $88^{\circ} 54'$: So that this Star was above the Horizon (in the Latitude of 36 Degrees North; to which *Hipparchus* has adapted his Calculation) 12 Hours 24 Minutes or 186 Degrees; whence the Right Ascension of the Star is justly concluded 355 Degrees 54 Minutes; and its Ascensional Difference precisely 3 Degrees; which in that Latitude makes its Declination 4 Degrees 7 Minutes North. We have therefore gotten both the Right Ascension and Declination of this supposed first Star of *Aries*.

Let us now see what Longitude and Latitude results from the aforesaid Right Ascension with 4 Degrees 7 Minutes North Declination, assuming the Obliquity with *Hipparchus*, to have been $23^{\circ} 51' 20''$; and we shall by a just Computation, find the Star at that time to have been in $27^{\circ} 53'$ of *Pisces*, with $5^{\circ} 24'$ North Latitude, which therefore was reckoned the place of the Star at that time by *Hipparchus*. Add $2^{\circ} 40'$, for 265 Years between *Hipparchus* and *Ptolemy*, and we shall have its place, in *Ptolemy's* Account, *Aries* $0^{\circ} 33'$, with $5^{\circ} 24'$ North Latitude. But the 22d Star of *Pisces* in *Ptolemy's* Catalogue has the same Longitude and Latitude, with sufficient exact.

actness, viz. *Aries* $0^{\circ} 40'$, with North Latitude $5^{\circ} 20'$, and is *Media trium in Lino Boreo Piscium* (« Bayerro.) Hence it cannot be doubted but that this Star which *P. Souciet* takes to have been once a Star of the first Magnitude, was no other than the said 22th of *Pisces*, which in the *British* Catalogue, fitted to the Year 1690, is put down in *Aries* $22^{\circ} 29' \frac{1}{3}$ with North Latitude $5^{\circ} 21'$.

How *Hipparchus* came to reckon this Star to be in the Fore-foot of *Aries*, does not at present appear ; but it is not unlikely that these Commentaries of his upon *Aratus* were written some time before he set about making his Catalogue of the fixt Stars ; when he might change his Opinion, and replace it in the *Line* of the *Fishes*, to which it seems more properly to belong.

Be that as it will, we will for once, suppose with *P. Souciet*, this Star to have been in the beginning of the Zodiack, or of the Constellation of *Aries*, and that at the time of the first fixing the Colures, that of the Vernal Equinox past 15 Degrees in Consequence thereof. Now *anno ineunte* 1690, this Star being in *Aries* $22^{\circ} 29' \frac{1}{3}$, if we add thereto 15 Degrees, we shall have *Taurus* $7^{\circ} 29' \frac{1}{3}$ for the Point in the Ecliptic that was then the beginning of the Zodiack. Now $37 \frac{1}{3}$ Degrees, at 50 Seconds *per Annum*, gives 2700 Years ; from which deducting 1690, we shall have 1010 Years before *Christ*. But this Star having $5^{\circ} 21'$ North Latitude, the Colure, when it past over it, intersected the Ecliptick in $2^{\circ} 20'$ less Longitude, which gives the time 168 Years later, or but 842 Years before *Christ*. So that *malgré cette grande decouverte*, the new System of Chronology is so far from being refuted, that it seems to be very much con-

confirmed thereby, at least in the Opinion of the R. Pere.

I have assumed the Latitude to which *Hipparchus* might have adapted his Calculations, to be 36 Degrees; because I find in Page 14. of the aforesaid Edition that he makes the longest Tropical Day 14 h. 30': And in Page 29, he tells us, that the Southern Star in the left Foot of *Bootes* (*or Bayero*) having $27^{\circ} 20'$ North Declination, was above the Horizon, 14 h. 57'; whence it follows, that the Latitude must be $36^{\circ} 5'$. He also tells us, in the same Page 29, that this Star set when 22° of *Capricorn* culminated, and 6° of *Taurus* ascended; repeating the same thing in Pag. 39, which leaves no room to suspect that those Numbers are not the same that *Hipparchus* had computed. I therefore thought it worth while to enquire in what Latitude 6 Degrees of *Taurus* rises when 22 Degrees of *Capricorn* is on the Meridian; and with the Obliquity of the Ecliptick, as now we have it, the Latitude resulting is $35^{\circ} \frac{1}{2}$ North; but with the Obliquity allowed by *Hipparchus*, it will be found less than 35° .

This I say, only to obviate any Objection that may be made by *P. Souciet* to the foregoing Argument; tho' if he please to examine it, he will find that an Error of a Degree in the assumed Latitude, will by no means invalidate the Proof here given that this *First Star of Aries* could be no other than the middle Star in *Lino Boreo Piscium*, marked " by *Bayer*.